

ENLACE A ROTULA

ROTULA MACHO PARA MANGUERA



MANGUENOR
mangueras y accesorios www.manguenor.com

TIPO	MEDIDA		MEDIDA		
	HIERRO	TIPO	ACERO INOXIDABLE		
			AISI 304	AISI316	
S-3	20	S-2	20	—	
	25		25	—	
	30		30	—	
	35		35	—	
	40		40	—	
	45		45	—	
	50		50	—	
	60		60	—	
S-5	60	S-3	20	20	
S-7	70		25	25	
	75		30	30	
	80		35	35	
	90		40	40	
	100		45	45	
S-10	110		50	50	
	120		60	60	
S-12	125		S-5	60	60
	S-15		150	S-7	70
160		75	75		
S-20		80	80		
S-25	250	90	90		
S-30	300	—	—		
S-40	400	—	—		

* Para diferentes medidas, prestaciones y aplicaciones CONSULTAR.

ROTULA HEMBRA PARA MANGUERA



MANGUENOR
mangueras y accesorios www.manguenor.com

TIPO	MEDIDA	TIPO	MEDIDA	
	HIERRO		ACERO INOXIDABLE	
			AISI 304	AISI316
S-3	20	S-2	20	–
	25		25	–
	30		30	–
	35		35	–
	40		40	–
	45		45	–
	50		50	–
	60		60	–
S-5	60	S-3	20	20
S-7	70		25	25
	75		30	30
	80		35	35
	90		40	40
S-10	100		45	45
	110		50	50
S-12	120		60	60
	125		S-5	60
S-15	150		S-7	70
	160	75		75
S-20	200	80		80
S-25	250	90		90
S-30	300	S-10	100	100
S-40	400		110	110
–	–	S-12	120	120
	–		125	125
	–	S-15	150	150

* Para diferentes medidas, prestaciones y aplicaciones CONSULTAR.

ROTULA MACHO CON ROSCA MACHO



MANGUENOR
mangueras y accesorios www.manguenor.com

TIPO	MEDIDA	TIPO	MEDIDA	
	HIERRO		ACERO INOXIDABLE	
			AISI 304	AISI316
S-3	½"	S-2	½"	—
	¾"		¾"	—
	1"		1"	—
	1 ¼"		1 ¼"	—
	1 ½"		1 ½"	—
	2"		2"	—
S-5	2"	S-3	½"	½"
S-7	2 ½"		¾"	¾"
	3"		1"	1"
S-10	3 ½"		1 ¼"	1 ¼"
	4"		1 ½"	1 ½"
S-12	4 ½"		2"	2"
S-15	5"	S-5	2"	2"
	6"	S-7	2 ½"	2 ½"
S-20	8"		3"	3"
S-25	10"	—	—	—
S-30	12"		—	—
S-40	16"		—	—

* Para diferentes medidas, prestaciones y aplicaciones CONSULTAR.

ROTULA HEMBRA CON ROSCA MACHO



MANGUENOR
mangueras y accesorios www.manguenor.com

TIPO	MEDIDA	TIPO	MEDIDA	
	HIERRO		ACERO INOXIDABLE	
			AISI 304	AISI316
S-3	½"	S-2	½"	—
	¾"		¾"	—
	1"		1"	—
	1 ¼"		1 ¼"	—
	1 ½"		1 ½"	—
	2"		2"	—
S-5	2"	S-3	½"	½"
S-7	2 ½"		¾"	¾"
	3"		1"	1"
S-10	3 ½"		1 ¼"	1 ¼"
	4"		1 ½"	1 ½"
S-12	4 ½"		2"	2"
S-15	5"	S-5	2"	2"
	6"	S-7	2 ½"	2 ½"
S-20	8"		3"	3"
S-25	10"	S-10	4"	4"
S-30	12"	S-12	4 ½"	4 ½"
S-40	16"	S-15	5"	5"
			6"	6"
—	—			

* Para diferentes medidas, prestaciones y aplicaciones CONSULTAR.

MACHO CON ROSCA HEMBRA



MANGUENOR
mangueras y accesorios www.manguenor.com

TIPO	MEDIDA	TIPO	MEDIDA	
	HIERRO		ACERO INOXIDABLE	
			AISI 304	AISI316
S-3	½"	S-2	½"	—
	¾"		¾"	—
	1"		1"	—
	1 ¼"		1 ¼"	—
	1 ½"		1 ½"	—
	2"		2"	—
S-5	2"	S-3	½"	½"
S-7	2 ½"		¾"	¾"
	3"		1"	1"
S-10	3 ½"		1 ¼"	1 ¼"
	4"		1 ½"	1 ½"
S-12	4 ½"	2"	2"	
S-15	5"	S-5	2"	2"
	6"	S-7	2 ½"	2 ½"
S-20	8"		3"	3"
S-25	10"	S-10	4"	4"
S-30	12"	S-12	4 ½"	4 ½"
S-40	16"	S-15	5"	5"
			6"	6"
—	—			

* Para diferentes medidas, prestaciones y aplicaciones CONSULTAR.

TAPON MACHO



TIPO	MEDIDA	TIPO	MEDIDA	
	HIERRO		ACERO INOXIDABLE	
			AISI 304	AISI316
S-3	20/60	S-2	20/60	–
S-5	60/70	S-3	20/60	20/60
S-7	70/90	S-5	60/70	60/70
S-10	100/110	S-7	70/90	70/90
S-12	125	S-10	100/110	100/110
S-15	150	S-12	125	125
S-20	200	S-15	150	150
S-25	250	–	–	–
S-30	300		–	–
S-40	400		–	–
			–	–

TAPON HEMBRA



MANGUENOR
mangueras y accesorios www.manguenor.com

TIPO	MEDIDA	TIPO	MEDIDA	
	HIERRO		ACERO INOXIDABLE	
			AISI 304	AISI316
S-3	20/60	S-2	20/60	–
S-5	60/70	S-3	20/60	20/60
S-7	70/90	S-5	60/70	60/70
S-10	100/110	S-7	70/90	70/90
S-12	125	S-10	100/110	100/110
S-15	150	S-12	125	125
S-20	200	S-15	150	150
S-25	250	–	–	–
S-30	300		–	–
S-40	400		–	–
			–	–

JUNTA TÓRICA



MANGUENOR
mangueras y accesorios www.manguenor.com

TIPO	MEDIDA
S-2	20/60
S-3	20/60
S-5	60/70
S-7	70/90
S-10	100/110
S-12	125
S-15	150
S-20	200
S-25	250
S-30	300
S-40	400